FERRIC CHLORIDE

1. Product Identification

Synonyms: Iron chloride hexahydrate; ferric trichloride hexahydrate

CAS No.: 7705-08-0 Anhydrous; (10025-77-1 Hexahydrate)

Molecular Weight: 270.30 Chemical Formula: FeCl_{3 6}H₂O

Product Codes:

J.T. Baker: 1996, 2000 Mallinckrodt: 5029

2. Composition/Information on Ingredients

Ingredient	CAS No	Percent	Hazardous	
Ferric Chloride	7705-08-0	90 - 100%	Yes	

3. Hazards Identification

Emergency Overview

DANGER! CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. HARMFUL IF SWALLOWED OR INHALED, AFFECTS THE LIVER.

SAF-T-DATA(tm) Ratings (Provided here for your convenience)

Health Rating: 3 - Severe (Life) Flammability Rating: 0 - None Reactivity Rating: 2 - Moderate

Contact Rating: 3 - Severe (Corrosive)

Lab Protective Equip: GOGGLES & SHIELD; LAB COAT & APRON; VENT HOOD; PROPER GLOVES

Storage Color Code: White (Corrosive)

Potential Health Effects

Inhalation:

Extremely destructive to tissues of the mucous membranes and upper respiratory tract. Symptoms may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea and vomiting.

Ingestion:

Corrosive. Swallowing can cause severe burns of the mouth, throat, and stomach. Can cause sore throat, vomiting, diarrhea. Low toxicity in small quantities but larger doses (30 mg/kg) may cause nausea, vomiting and diarrhea. Pink urine discoloration is a strong indicator of iron poisoning. Liver damage, coma and death may follow, sometimes delayed as long as three days.

Skin Contact:

Corrosive. Symptoms of redness, pain, and severe burn can occur.

Eye Contact:

Corrosive. Contact can cause blurred vision, redness, pain and severe tissue burns.

Chronic Exposure:

Repeated ingestion may cause liver damage. Prolonged exposure of the eyes may cause discoloration.

Aggravation of Pre-existing Conditions:

No information found.

4. First Aid Measures

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion:

If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean shoes before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. Fire Fighting Measures

Fire:

Not considered to be a fire hazard. Irritating hydrogen chloride fumes may form in fire.

Explosion:

Not considered to be an explosion hazard.

Fire Extinguishing Media:

Water, dry chemical, foam or carbon dioxide. Do not allow water runoff to enter sewers or waterways.

Special Information:

In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

6. Accidental Release Measures

Ventilate area of leak or spill. Keep unnecessary and unprotected people away from area of spill. Wear appropriate personal protective equipment as specified in Section 8. Spills: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust. US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802.

7. Handling and Storage

Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids); observe all warnings and precautions listed for the product.

.....

8. Exposure Controls/Personal Protection

Airborne Exposure Limits:

-ACGIH Threshold Limit Value (TLV):

1 mg/m3 (TWA) soluble iron salt as Fe

Ventilation System:

A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, Industrial Ventilation, A Manual of Recommended Practices, most recent edition, for details.

Personal Respirators (NIOSH Approved):

If the exposure limit is exceeded and engineering controls are not feasible, a half facepiece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full-face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.

Skin Protection:

Wear protective gloves and clean body-covering clothing.

Eye Protection:

Maintain eye wash fountain and quick-drench facilities in work area. Use chemical safety goggles and/or full face shield where dusting or splashing of solutions is possible.

9. Physical and Chemical Properties

Appearance: Yellow brown deliquescent crystals.

Odor: Slight odor of hydrochloric acid.

Solubility: Soluble in water. Density: 2.90 @ 25C/4C pH: No information found.

% Volatiles by volume @ 21C (70F): 0 Boiling Point: No information found.

Melting Point: 37C (99F)

Vapor Density (Air=1): No information found. Vapor Pressure (mm Hg): 1.1 @ 194C (381F) Evaporation Rate (BuAc=1): No information found.

10. Stability and Reactivity

Stability: Stable under ordinary conditions of use and storage.

Hazardous Decomposition Products: Emits toxic fumes of chloride when heated to decomposition.

Hazardous Polymerization: This substance does not polymerize.

Incompatibilities: Metals, allyl chloride, sodium, potassium. Will react with water to produce toxic and corrosive

fumes.

Conditions to Avoid: Incompatibles			-
Oral rat LD50: 316 mg/kg (anhydro		cological Inforted as a mutagen	
\Cancer Lists\			
(Cumor Elsis)	NTP Carcinogen		
Ingredient		_	IARC Category
Ferric Chloride (7705-08-0)	No	No	None
		ological Inform	nation
Environmental Fate: No informatio	n found.		
Environmental Toxicity:			
24 Hr LC50 striped bass (fingerling		tic);	
24 Hr LC50 striped bass (larvae): 4	mg/L (static)		
		 posal Conside	- rations
Whatever cannot be saved for rec-	-	-	managed in an appropriate and approved waste
	-	_	rial may exhibit one or more characteristics of a
			pecific disposal requirements. Processing, use or
	-	_	ent options. State and local disposal regulations
•	_	_	and unused contents in accordance with federal
state and local requirements.			
			•
Demostic (Lord DOT)	14. Tra	ansport Inform	nation
Domestic (Land, D.O.T.)		ID ACIDIC I	MODE ANIC NOS (FEDDIC CHI ODIDE
6-HYDRATE)	JSIVE SOLI	ib, ACIDIC, I	NORGANIC, N.O.S. (FERRIC CHLORIDE,
Hazard Class: 8			
UN/NA: UN3260			
Packing Group: III			
Information reported for product/siz	ze: 220LB		
The control of the co	- 0. 22 025		
International (Water, I.M.O.)			
Proper Shipping Name:			
CORROSIVE SOLID, ACIDIC, IN	ORGANIC, N	N.O.S. (FERRIC	CHLORIDE, 6-HYDRATE)
Hazard Class: 8			
UN/NA: UN3260			

Information reported for product/size: 220LB

Packing Group: III

International (Air. I.C.A.O.)							
International (Air, I.C.A.O.) Proper Shipping Name: CORROSIVE 6-HYDRATE) Hazard Class: 8 UN/NA: UN3260 Packing Group: III		ACIDI	IC, INC	ORGANIC,	, N.O.S. (F	ERRIC	CHLORIDE
Packing Group. III Information reported for product/size: 220	LB						
1:	5. Regul	atory I	nforma	ation			
\Chemical Inventory Status - Part							
Ingredient			•	Australi			
Ferric Chloride (7705-08-0)		Yes					
\Chemical Inventory Status - Part	t 2\						
Ingredient				Canad SL Phil.			
Ferric Chloride (7705-08-0)			No				
\Federal, State & International	Regulation	ons - Pa	rt 1\			-	
Ingredient					SARA 313 Chemical Ca		
		-	_			•	
Ferric Chloride (7705-08-0)		No	No	No	No		
\Federal, State & International	Regulation	ons - Pa	rt 2\				
Ingredient		CERC		-RCRA- 261.33	-TSCA- 8(d)		
Ferric Chloride (7705-08-0)		1000		No	No		
Chemical Weapons Convention: No SARA 311/312: Acute: Yes Chro Reactivity: No (Pure / Solid) Australian Hazchem Code: 2R Poison Schedule: None allocated. WHMIS:		b): No Fire: N		DTA: No Pressure:			

WHMIS:

This MSDS has been prepared according to the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

16. Other Information

NFPA Ratings: Health: 2 Flammability: 0 Reactivity: 0

Label Hazard Warning:

DANGER! CORROSIVE. CAUSES BURNS TO ANY AREA OF CONTACT. HARMFUL IF SWALLOWED OR INHALED. AFFECTS THE LIVER.

Label Precautions:

Do not get in eyes, on skin, or on clothing.

Do not breathe dust.

Keep container closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Label First Aid:

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. Never give anything by mouth to an unconscious person. In all cases get medical attention immediately.

Product Use:

Laboratory Reagent.

Revision Information:

MSDS Section(s) changed since last revision of document include: 3, 11, 12.

Disclaimer:

Mallinckrodt Baker, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. MALLINCKRODT BAKER, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS. ACCORDINGLY, MALLINCKRODT BAKER, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.

Prepared by: Guangxi TG Pharmaceutical Co., Ltd

Phone Number: 0086-771-4844990 (China)