质量检测报告书

Certificate of analysis

检字号(serial no.) D1291408020

检品名称 product	阿奇霉素 azithromycin	批号 batch no.	129-140808-1
包装 packaging size	25kg/桶(drum)	数量 quantity	200kg
生产日期 MFG DATE	06/08/2014(d/m/y)	报告日期 reporting date	10/08/2014(d/m/y)
执行标准 according to	美国药典(USP)26	失效日期 Expiry date	05/08/2017(d/m/y)

Tests		acceptance criteria		results
description	appearance	White or almost white crystalline pov	White crystalline powder	
	solubility	Practically insoluble in water, freel	y soluble in	Conforms
		anhydrous ethanol and in methylene	chloride.	
identification		1. IR: conforms to the azithromycin RS spectrum		Conforms
		2. HPLC: the retention time of azithromycin peak in		
		the chromatogram of the assay preparation		
		corresponds to that in the chromatogram of the		
_		standard preparation, as obtained in the assay.		
specific rotation		-45° ~-49° (anhydrous substance 20mg/ml		-48°
		dehydrated alcohol)		
crystallinity		meets the requirements		Conforms
PH		9.0~11.0(0.1g/50ml methanol-water (1:1))		9.9
water		4.0%~5.0%		4.5%
residue on ignition		≤0.3%		0.04%
heavy metals		≤0. 0025%		< 0.0025%
		(1)Methylene chloride	≤600ppm	not detected
Residual solvents		(2) Acetone	≤5000ppm	506ppm
assay (HPLC)		C ₃₈ H ₇₂ N ₂ O ₁₂ :945~1030ug/mg(anhydrous substance)		969ug/mg

结论:本品按美国药典 26 版标准检验,结果符合规定

Conclusion: conforms to USP26 specification for azithromycin

备注(note): 松密度(bulk density)0.51g/ml *为内控项目(In-house specifications)

Reported by: Cai lanlan reviewed by: Pan fangfang approved by: Cai lanlan