

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion.No44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

MSDS OF HEXAMETHYL DISILAZANE

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifiers

Product name : Hexamethyldisilazane
CAS-No. : 999-97-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : QINGDAO ON-BILLION INDUSTRIAL CO., LTD.
F35, Parkson Mansion.No44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071
Telephone : 0086-532-80681995
Fax : 0086-532-80681980
E-mail address : QINGDAOONBILLION@GMAIL.COM

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]

Flammable liquids (Category 2)
Acute toxicity, Oral (Category 4)
Acute toxicity, Inhalation (Category 4)
Acute toxicity, Dermal (Category 3)
Skin corrosion (Category 1B)
Chronic aquatic toxicity (Category 3)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

Highly flammable. Harmful by inhalation, in contact with skin and if swallowed. Causes burns. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 [CLP]

Pictogram



Signal word

Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.
H302 + H332 Harmful if swallowed or if inhaled
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/ physician.

Supplemental Hazard

none

Statements

According to European Directive 67/548/EEC as amended.

Hazard symbol(s)



青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No44-60 Zhengshan Rd, QINGDAO, CHINA P.C.: 266071.

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

R-phrase(s)

R11 Highly flammable.
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.
R34 Causes burns.
R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrase(s)

S16 Keep away from sources of ignition - No smoking.
S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
S61 Avoid release to the environment. Refer to special instructions/ Safety data sheets.

2.3 Other hazards - none

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Synonyms : HMDS
1,1,1,3,3,3-Hexamethyldisilazane

Formula : C₆H₁₉NSi₂
Molecular Weight : 161,39 g/mol

Component	Concentration
1,1,1,3,3,3-Hexamethyldisilazane	
CAS-No.	999-97-3
EC-No.	213-668-5

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

no data available

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, nitrogen oxides (NOx), silicon oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Handle under nitrogen, protect from moisture. Store under nitrogen. Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Hydrolyses readily.

7.3 Specific end uses

no data available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion No44-60 Zhengshan Rd, QINGDAO, CHINA P.C.: 266071.

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Immersion protection

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm

Break through time: > 480 min

Material tested:Camatril® (Aldrich Z677442, Size M)

Splash protection

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm

Break through time: > 30 min

Material tested:Dermatril® (Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 873000, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- | | |
|---|---|
| a) Appearance | Form: liquid, clear
Colour: colourless |
| b) Odour | no data available |
| c) Odour Threshold | no data available |
| d) pH | > 7,0 |
| e) Melting point/freezing point | Melting point/range: -80 °C |
| f) Initial boiling point and boiling range | 125 °C |
| g) Flash point | 11 °C - closed cup |
| h) Evaporation rate | no data available |
| i) Flammability (solid, gas) | no data available |
| j) Upper/lower flammability or explosive limits | Upper explosion limit: 16,3 %(V)
Lower explosion limit: 0,8 %(V) |

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion.No44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

- | | |
|---|---------------------|
| k) Vapour pressure | 20,0 hPa at 20,0 °C |
| l) Vapour density | no data available |
| m) Relative density | 0,774 g/mL at 25 °C |
| n) Water solubility | insoluble |
| o) Partition coefficient: n-octanol/water | log Pow: 2,62 |
| p) Autoignition temperature | 380,0 °C |
| q) Decomposition temperature | no data available |
| r) Viscosity | no data available |
| s) Explosive properties | no data available |
| t) Oxidizing properties | no data available |

9.2 Other safety information

no data available

10. STABILITY AND REACTIVITY

10.1 Reactivity

no data available

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Ammonia is formed upon contact with water or humid air.
Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - rat - 850,0 mg/kg

Remarks: Behavioral: General anesthetic. Cardiac: Pulse rate. Respiratory disorder

LC50 Inhalation - rat - 6 h - 10 mg/l

LC50 Inhalation - rat - 6 h - 1516 ppm

LD50 Dermal - rabbit - 549,5 mg/kg

Remarks: Behavioral: Somnolence (general depressed activity). Lungs, Thorax, or Respiration: Other changes. Gastrointestinal: Other changes.

Skin corrosion/irritation

Skin - rabbit - Severe skin irritation - Draize Test

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion, No.44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071.

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation	Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Ingestion	Harmful if swallowed. Causes burns.
Skin	Toxic if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting

Additional Information

RTECS: JM9230000

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	LC50 - Danio rerio (zebra fish) - 88 mg/l - 96,0 h
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 80,00 mg/l - 48 h
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 19,00 mg/l - 72 h

12.2 Persistence and degradability

Biodegradability	Result: 15,3 % - Not readily biodegradable. Method: OECD Test Guideline 301 Remarks: no data available
------------------	--

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Harmful to aquatic life with long lasting effects.
no data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting

青 岛 昂 必 立 实 业 有 限 公 司

QINGDAO ON-BILLION INDUSTRIAL CO., LTD.

F35, Parkson Mansion, No.44-60 Zhongshan Rd, QINGDAO, CHINA P.C.: 266071

Tel: 0086-532-80681995

Fax: 0086-532-80681980

E-mail: QINGDAOONBILLION@GMAIL.COM

as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging
Dispose of as unused product.

14. TRANSPORT INFORMATION

14.1 UN number

ADR/RID: 3286

IMDG: 3286

IATA: 3286

14.2 UN proper shipping name

ADR/RID: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1,1,1,3,3,3-Hexamethyldisilazane)

IMDG: FLAMMABLE LIQUID, TOXIC, CORROSIVE, N.O.S. (1,1,1,3,3,3-Hexamethyldisilazane)

IATA: Flammable liquid, toxic, corrosive, n.o.s. (1,1,1,3,3,3-Hexamethyldisilazane)

Special Provisions: "Keep away from heat" label required.

14.3 Transport hazard class(es)

ADR/RID: 3 (6.1, 8)

IMDG: 3 (6.1, 8)

IATA: 3 (6.1, 8)

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no

14.6 Special precautions for user

no data available

15. REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

15.2 Chemical Safety Assessment

no data available

16. OTHER INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if the company has been advised of the possibility of such damages.